



G		H		I		
REVISION HISTORY						
REV	DESCRIPTION			DATE	APPROVE	



 VIVANT SOLUTIONS PRIVATE LIMITED, PLOT NO: 329, SIDCO THIRUMULLAIVOYAL, CHENNAI, TAMILNADU, INDIA		
TITLE : THERMAL BREAK OMEGA PROFILE ASSEMBLY FOR 57-57-SF SYSTEM		
PART CODE : TBALO-5757-SF		
THIRD ANGLE PROJECTION	SIZE : A4	
	RIBS : B = 0.25 X 90°(8 PLACES)	
# REFERENCE STANDARDS - BSEN-755-9-2008	REV : 0	


3	57-57-SF THERMAL BREAK POLY 25-C	VSPL/AHU/1025	TBPL-25-C
2	57-57-SF THERMAL BREAK CORNER INNER	VSPL/AHU/5096	TBALOI-57-57-SF
1	57-57-SF THERMAL BREAK CORNER OUTER	VSPL/AHU/5095	TBALOO-57-57-SF
NAME	DESCRIPTION	PART NO.	CODE


G		H		I		
REVISION HISTORY						
REV	DESCRIPTION			DATE	APPROVE	





 VIVANT SOLUTIONS PRIVATE LIMITED, PLOT NO: 329, SIDCO THIRUMULLAIVOYAL, CHENNAI, TAMILNADU, INDIA		
TITLE : THERMAL BREAK SECTION JOINING PROFILE ASSEMBLY FOR 57-57-SF SYSTEM		
PART CODE : TBALSJ-5757-SF		
THIRD ANGLE PROJECTION	SIZE : A4	
	RIBS : B = 0.25 X 90°(4 PLACES)	
# REFERENCE STANDARDS - BSEN-755-9-2008		REV : 0


3	57-57-SR THERMAL BREAK POLY 25-C	VSPL/AHU/1025	TBPL-25-C
2	57-57-SR THERMAL BREAK SECTION JOINING INNER	VSPL/AHU/5098	TBALSJI-57-57-SF
1	57-57-SR THERMAL BREAK SECTION JOINING OUTER	VSPL/AHU/5097	TBALSJO-57-57-SF
NAME	DESCRIPTION	PART NO.	CODE














NOTE							REVISION HISTORY			
SL. NO.	NOTE	DESCRIPTION					REV	DESCRIPTION	DATE	APPROVE
1		INDICATES INSPECTION DIMENSION								

1

2

3

4

1

2

3

4

5

6

TOLERANCE #		APPROVALS		DATE
0.5 ~ < 10	±0.30	DRAWN	DHANASEKAR	03-04-2026
10 ~ < 25	±0.50	CHECKED	VISWA	03-04-2026
25 ~ < 50	±0.70	APPROVED	KALEEL	
50 ~ < 100	±1.00	MATERIAL: PVC-U		
100 ~ < 150	±1.20	COLOUR : BLACK		
THE MAXIMUM ALLOWABLE DEVIATION FOR ANY ANGLE IS ± 2°		FINISH : GLOSSY		
TWIST ALONG THE LENGTH = 3 mm/M		AREA: 350.68 mm²		
STRAIGHTNESS = 5 mm/M		WEIGHT RANGE : 0.472 - 0.502 Kg/m		
FLATNESS : 0.008 X WIDTH		CUT LENGTH: 3000 (±10) mm		
WARPAGE = ±5 mm		WORKING TEMPERATURE: 50 ±5 (°C)		
CORNER & FILLET RADII : < 5 - ±0.5mm > 5 - ± 10%		ALL DIMENSIONS ARE IN mm (MILLIMETERS) UNTILL UNLESS SPECIFIED		

VIVANT SOLUTIONS PRIVATE LIMITED,
PLOT NO: 329, SIDCO THIRUMULLAIVOYAL,
CHENNAI, TAMILNADU, INDIA

TITLE : THERMAL BREAK PANEL BREAKER FOR 57-57-SF / 57-57-SR-SF SYSTEM

PART CODE : TB-PVC-PB-57-57-SF/SR-SFSCALE: 1.5:1, 1:1

THIRD ANGLE PROJECTION

SIZE : A4

RIBS:
V = 0.3 X 90° (6 PLACES)
B = 0.5 X 90° (1 PLACES)

REFERENCE STANDARDS - BSEN-755-9-2008

REV : 0

5

6

A

B

C

D

E

F

H

I

J

