


















A		B		C		D		E		F		H		I		J		K		L		M		N		O		P		Q		R		S		T							
SL. NO.		NOTE		DESCRIPTION																														REVISION HISTORY									
1		☐		INDICATES INSPECTION DIMENSION																														REV		DESCRIPTION				DATE		APPROVE	
																																		1		THICKNESS OF THE BOTTOM WALL CHANGED FROM 1mm TO 6mm & MIN. EXTERNAL CHANGED FROM 11.5mm TO 12mm				21-06-2018		ADITYA	
																																		2		MIN. EXTERNAL DIAMETER CHANGED FROM 12mm TO 12.5mm				25-06-2018		ADITYA	
																																		1									
																																		2									
																																		3									
																																		4									
																																		5									
																																		6									
																																		7									
																																		8									
																																		9									
																																		10									
																																		11									
																																		12									
																																		13									

TOLERANCE #		APPROVALS		DATE	 VIVANT SOLUTIONS PRIVATE LIMITED, PLOT NO: 329, SIDCO THIRUMULLAIVOYAL, CHENNAI, TAMILNADU, INDIA			
0.5 - < 11	± 0.30	DRAWN	DHANASEKAR	30-03-2026				
11 - < 51	± 0.50	CHECKED	VISWA	30-03-2026				
51 - < 80	± 0.70	APPROVED	KALEEL					
80 - < 120	± 1.00	MATERIAL: PA6 GF 30%						
> 120	± 1.20	WEIGHT : 3.56 grams						
-	-	COLOUR : BLACK			TITLE: SCREW SLEEVE FOR 50B PANEL SYSTEM MODEL 1			
-	-	THIRD ANGLE PROJECTION						
-	-							
-	-							
WARPAGE = ± 5 mm					SIZE : A2	SCALE : 6:1		REV : 2
THE MAXIMUM ALLOWABLE DEVIATION FOR ANY ANGLE IS ± 2°					ALL DIMENSIONS ARE IN mm (MILLIMETERS)			# REFERENCE STANDARDS : ISO 286 - IT 13

